

1 1st FLOOR
DIMENSION PLAN
SCALE: 1/8" = 1'-0"
CALLED NORTH
NORTH

- GENERAL NOTES**
1. ALL PLAN DIMENSIONS ARE NOMINAL U.O.N.
 2. DIMENSIONS ARE TO FACE OF MASONRY OR FACE OF FRAMING, NOT TO FACE OF FINISH.
 3. FIRST FLOOR REFERENCE ELEVATION 411.0' = 100'-0".
2ND/MEZZANINE FLOOR REFERENCE ELEVATION 418.0' = 102'-0".
MECH/ELEC. FLOOR REFERENCE ELEVATION 418.417' = 102'-8".
THIRD FLOOR REFERENCE ELEVATION 419.0' = 120'-0".
 4. TYPICAL DIMENSION AT HINGE SIDE OF INTERIOR DOOR UNLESS OTHERWISE NOTED.
 5. ALL PENETRATIONS THROUGH A RATED ASSEMBLY ARE TO BE PROPERLY FIRE STOPPED. SEE FIRE STOPPING SPECIFICATION.
 6. A = ACTIVE DOOR LEAF.
 7. IN ALL LAVATORIES, ROOMS WITHOUT DROP CEILINGS AND IN ALL ROOMS OR PARTITIONS WITH ACOUSTICAL INSULATION, WALLS ARE TO EXTEND TO UNDERSIDE OF STRUCTURE.
 8. SEE ALSO 1/4" SCALE PLANS FOR ADDITIONAL WALL TYPE AND DIMENSION INFORMATION.
 9. SEE ALSO ELEVATIONS FOR CONTROL JOINTS (C.J.) IN C.M.U.
 10. ALL SHOWER STALLS TO HAVE 5/8" FIBERGLASS FACED G.W.B. AT TILED WALLS.
 11. PROVIDE METAL STUD BLOCKING BETWEEN METAL STUD FRAMING FOR WALL MOUNTED OVERHEAD CABINETS AND SHELVING. COORDINATE WITH INSTALLER. SEE A100'S.
 12. SEE A100 FOR FFE DESIGNATIONS, EQUIPMENT PLACEMENT, DIMENSIONS AND NOTES.
 13. SEE 1001, 1011 & 1021 FOR DIMENSION PLANS.
 14. SEE 10/A430 FOR TYPICAL INTERIOR WALL CONNECTION DETAILS.
 15. SEE 4 & 5/A430 FOR TYPICAL FLOOR AND WALL PENETRATION CLOSURES.

1st FLOOR ROOM LEGEND			
NO.	NAME	NO.	NAME
101	APPARATUS BAY	116	HYDRATION ROOM
101A	VESTIBULE	117	DAY ROOM
102	RADIO ROOM	118	VESTIBULE
103	UNSEX LAVATORY	119	CLOSET
104	JANITOR	120	H.K. STORAGE
105	RED BAG	121	BUNK ROOM #1
106	ENGINEER'S WORK ROOM	122	MEN'S LAV/SHOWER
107	LAUNDRY	123	CORRIDOR
108	SCBA FILL	124	CORRIDOR
109	COMPRESSOR	125	ELEVATOR
110	GEAR STORAGE	126	HOUSEKEEPING
111	STORAGE #1	127	BUNK ROOM #2
112	HOSE STORAGE	128	MOMENT'S LAV/SHOWER
113	ELECTRICAL	129	STAR
114	FIRE PUMP	130	EXERCISE
115	DECON	131	PUMP ROOM

- DIMENSION PLAN KEY NOTES**
1. ALIGN FACE OF FURRING WITH FACE OF METAL STUDS. ENSURE ALIGNMENT OF G.W.B.
 2. COORDINATE DIMENSION WITH ELEVATOR MANUFACTURER.
 3. CENTER WALL ON COLUMN LINE.
 4. 4" HIGH CONCRETE HOUSEKEEPING PAD. COORDINATE SIZE OF PAD WITH EQUIPMENT TO BE PLACED ATOP PAD WITH MANUFACTURERS REQUIREMENTS. COORDINATE LOCATION WITH ALL TRADES. SEE DIMENSION PLANS.
 5. EXTRACTOR SLAB. COORDINATE SIZE OF PAD WITH EQUIPMENT TO BE PLACED ATOP PAD WITH MANUFACTURERS REQUIREMENTS. COORDINATE LOCATION WITH ALL TRADES. SEE STRUCTURAL DRAWINGS FOR EXTRACTOR SLAB DETAILS.

MA

MITCHELL
ASSOCIATES
ARCHITECTS

29 THACHER PARK ROAD
VOORHEESVILLE, NY 12186
(518) 765-4511 FAX (518) 765-2950
WWW.MITCHELL-ARCHITECTS.COM

EMERGENCY
SERVICE
FACILITIES

CONSULTANTS:
INSITE ENGINEERING SURVEYING
& LANDSCAPE ARCHITECTURE, P.C.
3 GARRETT PLACE
CARMEL, NY 10512
(518) 225-9400 FAX: (518) 225-9111

CRAIG A. MALONEY, P.E.
STRUCTURAL ENGINEERING CONSULTANT
3 BENEDICT COURT
BALSTON SPA, NY 12023
(518) 584-9444 FAX: (518) 584-9955

GERARD ASSOCIATES
CONSULTING ENGINEERS, P.C.
MECHANICAL, PLUMBING,
AND ELECTRICAL
333 MAIN STREET
COHEN, NY 10424
(845) 291-1212 FAX: (845) 291-1939

PROGRESS PRINT
NOT FOR CONSTRUCTION

COPYRIGHT 2012
MITCHELL ASSOCIATES ARCHITECTS
UNAUTHORIZED ALTERATION OR ADDITION
TO THIS DOCUMENT IS A VIOLATION OF LAW

NEW STATION
FOR
PUTNAM VALLEY
FIRE STATION #1


OSCAWANA LAKE ROAD
PUTNAM VALLEY, NEW YORK

REVISION HISTORY	
DATE	DESCRIPTION

1st FLOOR
DIMENSION PLAN

SCALE: 1/8" = 1'-0"
DWG. BY: JDA
DWG. DATE: 5/4/2011
STATUS: OWNER REVIEW

A100.1



1st FLOOR PLAN
SCALE: 1/8" = 1'-0"



- GENERAL NOTES**
- ALL PLAN DIMENSIONS ARE NOMINAL U.O.M.
 - DIMENSIONS ARE TO FACE OF MASONRY OR FACE OF FRAMING, NOT TO FACE OF FURRING.
 - FIRST FLOOR REFERENCE ELEVATION 419.0' = 100'-0".
2ND/MEZZANINE FLOOR REFERENCE ELEVATION 489.0' = 100'-0".
MECH/ELEC. FLOOR REFERENCE ELEVATION 489.44' = 100'-8".
THIRD FLOOR REFERENCE ELEVATION 419.0' = 100'-0".
 - TYPICAL DIMENSION AT HINGE SIDE OF INTERIOR 3' TYP. -# DOOR UNLESS OTHERWISE NOTED.
 - ALL PENETRATIONS THROUGH A RATED ASSEMBLY ARE TO BE PROPERLY FIRE STOPPED. SEE FIRE STOPPING SPECIFICATION.
 - A = ACTIVE DOOR LEAF
 - IN ALL LAVATORIES, ROOMS WITHOUT DROP CEILINGS AND IN ALL ROOMS OR PARTITIONS WITH ACOUSTICAL INSULATION, WALLS ARE TO EXTEND TO UNDERSIDE OF STRUCTURE.
 - SEE ALSO 1/4" SCALE PLANS FOR ADDITIONAL WALL TYPE AND DIMENSION INFORMATION.
 - SEE ALSO ELEVATIONS FOR CONTROL JOINTS (C/J) IN C.M.U.
 - ALL SHOWER STALLS TO HAVE 5/8" FIBERGLASS FACED G.W.B. AT 1/2" WALLS.
 - PROVIDE METAL STUD BLOCKING BETWEEN METAL STUD FRAMING FOR WALL TYPED TO INTERIOR CABINETS AND SHELVING. COORDINATE WITH INSTALLER. SEE A100'S.
 - SEE A100 FOR FFIE DESIGNATIONS, EQUIPMENT PLACEMENT, DIMENSIONS AND NOTES.
 - SEE 1001, 1001 & 1021 FOR DIMENSION PLANS
 - SEE 10/A430 FOR TYPICAL INTERIOR WALL CONNECTION DETAILS
 - SEE 4 & 5/A430 FOR TYPICAL FLOOR AND WALL PENETRATION CLOSURES

1st FLOOR ROOM LEGEND

NO.	NAME	NO.	NAME
101	APPARATUS BAY	16	HYDRATION ROOM
102A	VESTIBULE	17	DAY ROOM
102	RADIO ROOM	18	VESTIBULE
103	UNISEX LAVATORY	18A	CLOSET
104	JANITOR	19	HK STORAGE
105	RED BAG	20	BUNK ROOM #1
106	ENGINEER'S WORK ROOM	21	MEN'S LAV/SHOWER
107	LAUNDRY	22	CORRIDOR
108	SCBA FILL	23	CORRIDOR
109	COMPRESSOR	24	ELEVATOR
110	GEAR STORAGE	25	HOUSEKEEPING
111	STORAGE #1	26	BUNK ROOM #2
112	HOSE STORAGE	27	WOMEN'S LAV/SHOWER
113	ELECTRICAL	28	STAR
114	FIRE PUMP	29	EXERCISE
115	DECON	30	PUMP ROOM

- KEYNOTE LEGEND**
- GUARDIAN FALL PROTECTION (CONCRETE SWIVEL ANCHOR #00242; GALVANIZED S.S. LADDER TIE OFF 2" ABOVE FINISH SLAB. FILL SOLID W/ 3000 P.S.I CONCRETE FIRST TWO BLOCK. ALIGN W/ TRAINING WINDOW CENTER LINE. SEE 3/A102
 - ALIGN ENDS OF TRENCH DRAINS/CATCH BASINS
 - IN LINE CATCH BASIN
 - SOUND ATTENUATION BLANKETS IN WALL FRAMING FROM FLOOR TO UNDERSIDE OF STRUCTURE. G.W.B. TO EXTEND TO UNDERSIDE OF STRUCTURE. FILL VOIDS AT UNDERSIDE OF STRUCTURE PER DETAILS.
 - 4" HIGH CONCRETE HOUSEKEEPING PAD. COORDINATE SIZE OF PAD WITH EQUIPMENT TO BE PLACED ATOP PAD. WITH MANUFACTURERS REQUIREMENTS. COORDINATE LOCATION WITH ALL TRADES. SEE DIMENSION PLANS.
 - EXTRACTOR SLAB. COORDINATE SIZE OF PAD WITH EQUIPMENT TO BE PLACED ATOP PAD WITH MANUFACTURERS REQUIREMENTS. COORDINATE LOCATION WITH ALL TRADES. SEE STRUCTURAL DRAWINGS FOR EXTRACTOR SLAB DETAILS.
 - DOWNSPOUT TO STORM. SEE ROOF PLAN. ELEVATIONS & CIVIL DRAWINGS.
 - DISPLAY CASE - SEE DETAIL 1/A130
 - WATER HOSE REEL HIGH INSTALLATION SEE 1/2/A431
 - KEEP THIS WALL AREA CLEAR FROM FIXED OBJECTS THAT COULD INTERFERE WITH THE LADDER EVOLUTION TRAINING WINDOW. (SUCH AS SWITCHES/THERMOSTATS, LIGHT FIXTURES, ETC. COORDINATE WITH ALL TRADES.
 - LOUVER, SEE 1/A302 AND MECHANICAL DRAWINGS
 - AIR HOSE REEL SEE A100'S, 3/A431 & PLUMBING DRAWINGS.
 - TRUCK FILL - SEE PLUMBING DUGS & 3/A430
 - COMPRESSED AIR TAP, WALL MOUNTED SEE PLUMBING DRAWINGS
 - FLOOR PENETRATION FOR DUCTWORK. COORDINATE SIZE OF OPENING WITH MECHANICAL DRAWINGS AND DETAIL 4/A430. SEE STRUCTURAL DRAWINGS FOR ADDITIONAL INFORMATION.
 - FIRE DEPARTMENT CONNECTION. SEE DETAIL 10/A304 & FIRE PROTECTION DRAWINGS.
 - THE WALL BETWEEN THE APPARATUS BAY AND THE BALANCE OF THE BUILDING IS TO BE AS AIRTIGHT AS POSSIBLE. ACCORDINGLY, ALL CONTRACTORS ARE TO MAKE ALL OF THEIR PENETRATIONS OF THIS WALL IN ACCORDANCE WITH MAXIMUM OPENING CRITERIA SET FORTH IN 01000 AND SEAL AS REQUIRED
 - O.H. DOOR SWITCH PANEL. SEE 1/A430. CENTER IN WALL. TOP OF PANEL AT 40" A.F.F.
 - WALL MOUNTED SHOWER SYSTEM. SEE 1A/A111 AND PLUMBING DRAWINGS.
 - STEEL BOLLARD, SEE STRUCTURAL DUGS
 - DRYING RACK. SEE DETAIL 4/A430
 - KEEP THIS CEILING AREA CLEAR FROM FIXED OBJECTS THAT COULD INTERFERE WITH THE CONFINED SPACE EXTRACTION TRAINING OPENING. (SUCH AS LIGHT FIXTURES, SPRINKLER LINES, DUCTWORK, ETC.) COORDINATE WITH ALL TRADES.
 - ROUND OFF VERTICAL EDGE OF C.M.U. AT CORNER TO A MINIMUM OF 1/2" RADIUS.
 - FIRE ALARM PANEL. SEE FIRE PROTECTION DRAWINGS
 - 8' x 8' OPENING IN C.M.U. WALL FOR SCBA COMPRESSOR LINES FROM ROOF OR TO 100' COORDINATE LOCATION WITH OWNER AND SCBA EQUIPMENT. VENDOR RECOMMENDATIONS PROVIDE GASKETING IN OPENING. SEE 1/A300
 - COAT RACK AT ADA REQUIRED HEIGHT
 - FOAMED IN PLACE INSULATION (TYP.) SEE SPECIFICATIONS FOR R-VALUE. ALL EXPOSED FOAMED IN PLACE INSULATION ABOVE CEILING IN TRUSS/ATTC SPACE Etc. REQUIRES INTUESCENT COATING. (TYP.)
 - ENTRY MAT. SEE SPECIFICATIONS AND DETAIL 8/A430
- X-BRACING. SEE STRUCTURAL DRAWINGS
EP ELECTRICAL PANEL SEE ELECTRICAL DRAWINGS
NC MANIFOLD CABINET FOR RADIANT PIPES. SEE DETAIL 2/A430, MECHANICAL & STRUCTURAL DRAWINGS
CH CABINET UNIT HEATER SEE MECHANICAL DRAWINGS

MA
MITCHELL ASSOCIATES ARCHITECTS
29 THACHER PARK ROAD
VOORHEESVILLE, NY 12184
(518) 765-4571 FAX (518) 765-2950
WWW.MITCHELL-ARCHITECTS.COM

EMERGENCY SERVICE
FACILITIES

CONSULTANTS:
INSITE ENGINEERING SURVEYING
LANDSCAPE ARCHITECTURE, P.C.
3 CARMELT PLACE
CARMEL, NY 10512
(845) 225-9400 FAX: (845) 225-9411

CRAIG A. MALONEY, P.E.
STRUCTURAL ENGINEERING CONSULTANT
3 BENEDICT COURT
BALSTON SPA, NY 12022
(518) 584-9444 FAX: (518) 584-9955

GERARD ASSOCIATES
CONSULTING ENGINEERS, P.C.
MECHANICAL, PLUMBING, AND ELECTRICAL
333 MAIN STREET
GOSHEN, NY 10924
(845) 291-1212 FAX: (845) 291-1939

PROGRESS PRINT
NOT FOR CONSTRUCTION
COPYRIGHT 2012
MITCHELL ASSOCIATES ARCHITECTS
UNAUTHORIZED ALTERATION OR ADDITION
TO THIS DOCUMENT IS A VIOLATION OF LAW

NEW STATION
FOR
PUTNAM VALLEY FIRE STATION #1
OSCAWANA LAKE ROAD
PUTNAM VALLEY, NEW YORK


REVISION HISTORY

	DATE	DESCRIPTION
1		
2		
3		
4		
5		
6		
7		
8		
9		
10		
11		
12		
13		
14		
15		
16		
17		
18		
19		
20		
21		
22		
23		
24		
25		
26		
27		
28		
29		
30		
31		
32		
33		
34		
35		
36		
37		
38		
39		
40		
41		
42		
43		
44		
45		
46		
47		
48		
49		
50		
51		
52		
53		
54		
55		
56		
57		
58		
59		
60		
61		
62		
63		
64		
65		
66		
67		
68		
69		
70		
71		
72		
73		
74		
75		
76		
77		
78		
79		
80		
81		
82		
83		
84		
85		
86		
87		
88		
89		
90		
91		
92		
93		
94		
95		
96		
97		
98		
99		
100		

1st FLOOR PLAN
SCALE: 1/8" = 1'-0"
DUG BY: RAM/JDA
DUG DATE: 5/4/2011
STATUS: OWNER REVIEW

A100
PLOT TIME: 8:54 AM

DWG ID#: S.NJ DrivePutnam Valley\PV_A100



2nd FLOOR
DIMENSION PLAN
SCALE: 1/8" = 1'-0"



GENERAL NOTES

- ALL PLAN DIMENSIONS ARE NOMINAL U.O.N.
- DIMENSIONS ARE TO FACE OF MASONRY OR FACE OF FRAMING, NOT TO FACE OF FURRING.
- FIRST FLOOR REFERENCE ELEVATION 479.0' = 100'-0"
2ND/MEZZANINE FLOOR REFERENCE ELEVATION 489.0' = 110'-0"
MECH./ELEC. FLOOR REFERENCE ELEVATION 489.447' = 110'-8"
THIRD FLOOR REFERENCE ELEVATION 499.0' = 120'-0"
- TYPICAL DIMENSION AT HINGE SIDE OF INTERIOR DOOR UNLESS OTHERWISE NOTED
- ALL PENETRATIONS THROUGH A RATED ASSEMBLY ARE TO BE PROPERLY FIRE STOPPED. SEE FIRE STOPPING SPECIFICATION.
- A = ACTIVE DOOR LEAF
- IN ALL LAVATORIES, ROOMS WITHOUT DROP CEILINGS AND IN ALL ROOMS OR PARTITIONS WITH ACOUSTICAL INSULATION, WALLS ARE TO EXTEND TO UNDERSIDE OF STRUCTURE.
- SEE ALSO 1/4" SCALE PLANS FOR ADDITIONAL WALL TYPE AND DIMENSION INFORMATION.
- SEE ALSO ELEVATIONS FOR CONTROL JOINTS (CJ's) IN C.M.U.
- ALL SHOWER STALLS TO HAVE 5/8" FIBERGLASS FACED G.W.B. AT TILED WALLS.
- PROVIDE METAL STUD BLOCKING BETWEEN METAL STUD FRAMING FOR WALL MOUNTED OVERHEAD CABINETS AND SHELVING. COORDINATE WITH INSTALLER. SEE A100'S.
- SEE A100 FOR FFME DESIGNATIONS, EQUIPMENT PLACEMENT, DIMENSIONS AND NOTES.
- SEE 100.1, 100.1 + 102.1 FOR DIMENSION PLANS
- SEE 10/A430 FOR TYPICAL INTERIOR WALL CONNECTION DETAILS
- SEE 4 1/5/A430 FOR TYPICAL FLOOR AND WALL PENETRATION CLOSURES

2nd FLOOR ROOM LEGEND

NO.	NAME	NO.	NAME
201	BOILER/ELEC. ROOM	204	MEZZANINE
202	ELEVATOR MACHINE ROOM	205	MECHANICAL 1
203	SERVER	206	MEZZANINE
204	STAIR	207	MECHANICAL 2
205	ELEVATOR		

DIMENSION PLAN KEY NOTES

- ALIGN FACE OF FURRING WITH FACE OF METAL STUDS. ENSURE ALIGNMENT OF G.W.B.
- COORDINATE DIMENSION WITH ELEVATOR MANUFACTURER.
- CENTER WALL ON COLUMN LINE
- 4" HIGH CONCRETE HOUSEKEEPING PAD. COORDINATE SIZE OF PAD WITH EQUIPMENT TO BE PLACED ATOP PAD WITH MANUFACTURERS REQUIREMENTS. COORDINATE LOCATION WITH ALL TRADES. SEE DIMENSION PLANS.
- EXTRACTOR SLAB. COORDINATE SIZE OF PAD WITH EQUIPMENT TO BE PLACED ATOP PAD WITH MANUFACTURERS REQUIREMENTS. COORDINATE LOCATION WITH ALL TRADES. SEE STRUCTURAL DRAWINGS FOR EXTRACTOR SLAB DETAILS.

MA

MITCHELL
ASSOCIATES
ARCHITECTS

29 THACHER PARK ROAD
VOORHEESVILLE, NY 12186
(518) 765-4571 FAX (518) 765-2950
WWW.MITCHELL-ARCHITECTS.COM

EMERGENCY
SERVICE
FACILITIES

CONSULTANTS:

INSITE ENGINEERING SURVEYING
& LANDSCAPE ARCHITECTURE, P.C.
3 GARRETT PLACE
CARMEL, NY 10512
(845) 225-9400 FAX: (845) 225-9111

CRAIG A. MALONEY, P.E.
STRUCTURAL ENGINEERING CONSULTANT
3 BENEDICT COURT
BALSTON SPA, NY 12020
(518) 584-9944 FAX: (518) 584-9955

GERARD ASSOCIATES
CONSULTING ENGINEERS, P.C.
MECHANICAL, PLUMBING,
AND ELECTRICAL
333 MAIN STREET
GOSHEN, NY 10924
(845) 291-1212 FAX: (845) 291-1939

PROGRESS PRINT
NOT FOR CONSTRUCTION
5/4/2011

COPYRIGHT 2012
MITCHELL ASSOCIATES ARCHITECTS
UNAUTHORIZED ALTERATION OR ADDITION
TO THIS DOCUMENT IS A VIOLATION OF LAW

NEW STATION
FOR
PUTNAM VALLEY
FIRE STATION #1

OSCAWANA LAKE ROAD
PUTNAM VALLEY, NEW YORK

REVISION HISTORY

DATE	DESCRIPTION


2nd FLOOR
DIMENSION PLAN

SCALE: 1/8" = 1'-0"
DWG. BY: JDA
DWG. DATE: 5/4/2011
STATUS: OWNER REVIEW

A100.1

PLOT TIME: 8:56 AM

DWG ID#: S-V DrivePutnam Valley NPV_A100



2nd FLOOR PLAN
A101 SCALE: 1/8" = 1'-0"



GENERAL NOTES

- ALL PLAN DIMENSIONS ARE NOMINAL U.O.N.
- DIMENSIONS ARE TO FACE OF MASONRY OR FACE OF FRAMING, NOT TO FACE OF FURRING.
- FIRST FLOOR REFERENCE ELEVATION 419.0' = 100'-0".
2ND/MEZZANINE FLOOR REFERENCE ELEVATION 489.0' = 10'-0".
MECH./ELEC. FLOOR REFERENCE ELEVATION 489.44' = 10'-8".
THIRD FLOOR REFERENCE ELEVATION 499.0' = 120'-0".
- TYPICAL DIMENSION AT HINGE SIDE OF INTERIOR DOOR UNLESS OTHERWISE NOTED.
- ALL PENETRATIONS THROUGH A RATED ASSEMBLY ARE TO BE PROPERLY FIRE STOPPED. SEE FIRE STOPPING SPECIFICATION.
- A = ACTIVE DOOR LEAF.
- IN ALL LAVATORIES, ROOMS WITHOUT DROP CEILINGS AND IN ALL ROOMS OR PARTITIONS WITH ACOUSTICAL INSULATION, WALLS ARE TO EXTEND TO UNDERSIDE OF STRUCTURE.
- SEE ALSO 1/4" SCALE PLANS FOR ADDITIONAL WALL TYPE AND DIMENSION INFORMATION.
- SEE ALSO ELEVATIONS FOR CONTROL JOINTS (C/J) IN C.M.U.
- ALL SHOWER STALLS TO HAVE 5/8" FIBERGLASS FACED G.W.B. AT TILED WALLS.
- PROVIDE METAL STUD BLOCKING BETWEEN METAL STUD FRAMING FOR WALL MOUNTED OVERHEAD CABINETS AND SHELVING. COORDINATE WITH INSTALLER. SEE A100'S.
- SEE A100 FOR FFIE DESIGNATIONS, EQUIPMENT PLACEMENT, DIMENSIONS AND NOTES.
- SEE 1001, 1011 & 1021 FOR DIMENSION PLANS.
- SEE 10/A430 FOR TYPICAL INTERIOR WALL CONNECTION DETAILS.
- SEE 4 & 1/A430 FOR TYPICAL FLOOR AND WALL PENETRATION CLOSURES.

2nd FLOOR ROOM LEGEND

NO.	NAME	NO.	NAME
201	BOILER/ELEC ROOM	204	MEZZANINE
202	ELEVATOR MACHINE ROOM	201	MECHANICAL 1
203	SERVER	208	MEZZANINE
204	STAR	201	MECHANICAL 2
205	ELEVATOR		

KEYNOTE LEGEND

- GUARDIAN FALL PROTECTION (CONCRETE SWIVEL ANCHOR #00242, GALVANIZED 5.5" LADDER TIE OFF, 12" ABOVE FINISH SLAB. FILL SOLID W/ 3000 P.S.I CONCRETE FIRST TWO BLOCKS. ALIGN W/ TRAINING WINDOW CENTER LINE. SEE 3/A102.
- ALIGN ENDS OF TRENCH DRAINS/CATCH BASINS.
- IN LINE CATCH BASIN.
- 4" HIGH CONCRETE HOUSEKEEPING PAD. COORDINATE SIZE OF PAD WITH EQUIPMENT TO BE PLACED ATOP PAD WITH MANUFACTURERS REQUIREMENTS. COORDINATE LOCATION WITH ALL TRADES. SEE DIMENSION PLANS.
- EXTRACTOR SLAB. COORDINATE SIZE OF PAD WITH EQUIPMENT TO BE PLACED ATOP PAD WITH MANUFACTURERS REQUIREMENTS. COORDINATE LOCATION WITH ALL TRADES. SEE STRUCTURAL DRAWINGS FOR EXTRACTOR SLAB DETAILS.
- DOWNSPOUT TO STORM. SEE ROOF PLAN. ELEVATIONS & CIVIL DRAWINGS.
- DISPLAY CASE - SEE DETAIL 9/A130.
- WATER HOSE REEL HIGH INSTALLATION. SEE 102/A431.
- KEEP THIS WALL AREA CLEAR FROM FIXED OBJECTS THAT COULD INTERFERE WITH THE LADDER EVOLUTION TRAINING WINDOW. (SUCH AS SWITCHES, THERMOSTATS, LIGHT FIXTURES, ETC.) COORDINATE WITH ALL TRADES.
- LOUVER. SEE 1/A302 AND MECHANICAL DRAWINGS.
- AIR HOSE REEL SEE A100'S, 3/A431 & PLUMBING DRAWINGS.
- TRUCK FILL - SEE PLUMBING DUGS & 3/A430.
- COMPRESSED AIR TAP. WALL MOUNTED. SEE PLUMBING DRAWINGS.
- FLOOR PENETRATION FOR DUCTWORK. COORDINATE SIZE OF OPENING WITH MECHANICAL DRAWINGS AND DETAIL 4/A430. SEE STRUCTURAL DRAWINGS FOR ADDITIONAL INFORMATION.
- FIRE DEPARTMENT CONNECTION. SEE DETAIL 10/A304 & FIRE PROTECTION DRAWINGS.
- THE WALL BETWEEN THE APPARATUS BAY AND THE BALANCE OF THE BUILDING IS TO BE AS AIRTIGHT AS POSSIBLE. ACCORDINGLY, ALL CONTRACTORS ARE TO MAKE ALL OF THEIR PENETRATIONS OF THIS WALL IN ACCORDANCE WITH MAXIMUM OPENING CRITERIA SET FORTH IN OMOO AND SEAL AS REQUIRED.
- O.H. DOOR SWITCH PANEL. SEE 1/A430. CENTER IN WALL. TOP OF PANEL AT 40" A.F.F.
- WALL MOUNTED SHOWER SYSTEM. SEE 11A/A111 AND PLUMBING DRAWINGS.
- STEEL BOLLARD. SEE STRUCTURAL DUGS.
- DRYING RACK. SEE DETAIL 4/A430.
- KEEP THIS CEILING AREA CLEAR FROM FIXED OBJECTS THAT COULD INTERFERE WITH THE CONFINED SPACE EXTRACTION TRAINING OPENING. (SUCH AS LIGHT FIXTURES, SPRINKLER LINES, DUCTWORK, ETC.) COORDINATE WITH ALL TRADES.
- ROUND OFF VERTICAL EDGE OF C.M.U. AT CORNER TO A MINIMUM OF 1/2" RADIUS.
- FIRE ALARM PANEL. SEE FIRE PROTECTION DRAWINGS.
- 8' x 8' OPENING IN C.M.U. WALL FOR SCBA COMPRESSOR LINES FROM ROOM 108 TO 104. COORDINATE LOCATION WITH OWNER AND SCBA EQUIPMENT VENDOR RECOMMENDATIONS. PROVIDE GASKETING IN OPENING. SEE 1/A430.
- COAT RACK AT ADA REQUIRED HEIGHT.
- FOAMED IN PLACE INSULATION (TYP). SEE SPECIFICATIONS FOR R-VALUE. ALL EXPOSED FOAMED IN PLACE INSULATION ABOVE CEILING, IN TRUSS/ATTIC SPACE ETC., REQUIRES INTUENSICENT COATING. (TYP).
- ENTRY MAT - SEE SPECIFICATIONS AND DETAIL 8/A430.
- X-BRACING. SEE STRUCTURAL DRAWINGS.
- ELECTRICAL PANEL. SEE ELECTRICAL DRAWINGS.
- MANIFOLD CABINET FOR RADIANT PIPES. SEE DETAIL 2/A430, MECHANICAL & STRUCTURAL DRAWINGS.
- CABINET UNIT HEATER. SEE MECHANICAL DRAWINGS.

MA

MITCHELL
ASSOCIATES
ARCHITECTS

29 THACHER PARK ROAD
VOORHEESVILLE, NY 12184
(518) 745-4571 FAX (518) 745-2950
WWW.MITCHELL-ARCHITECTS.COM

EMERGENCY
SERVICE

FACILITIES

CONSULTANTS:

INSITE ENGINEERING SURVEYING
& LANDSCAPE ARCHITECTURE, P.C.

3 GARRETT PLACE
CARMEL, NY 10512
(845) 225-9400 FAX: (845) 225-9111

CRAIG A. MALONEY, P.E.
STRUCTURAL ENGINEERING CONSULTANT

3 BENEDICT COURT
BALSTON SPA, NY 12020
(518) 584-9444 FAX: (518) 584-9955

GERARD ASSOCIATES
CONSULTING ENGINEERS, P.C.
MECHANICAL, PLUMBING,
AND ELECTRICAL

223 MAIN STREET
COSHEN, NY 10424
(845) 291-1252 FAX: (845) 291-1939

PROGRESS PRINT
NOT FOR CONSTRUCTION
5/4/2017

COPYRIGHT 2017
MITCHELL ASSOCIATES ARCHITECTS
UNAUTHORIZED ALTERATION OR ADDITION
TO THIS DOCUMENT IS A VIOLATION OF LAW

NEW STATION
FOR
PUTNAM VALLEY
FIRE STATION #1

OSCAWANA LAKE ROAD
PUTNAM VALLEY, NEW YORK


REVISION HISTORY

	DATE	DESCRIPTION
1		
2		
3		
4		
5		
6		
7		
8		
9		
10		
11		
12		
13		
14		
15		
16		
17		
18		
19		
20		
21		
22		
23		
24		
25		
26		
27		
28		
29		
30		
31		
32		
33		
34		
35		
36		
37		
38		
39		
40		
41		
42		
43		
44		
45		
46		
47		
48		
49		
50		
51		
52		
53		
54		
55		
56		
57		
58		
59		
60		
61		
62		
63		
64		
65		
66		
67		
68		
69		
70		
71		
72		
73		
74		
75		
76		
77		
78		
79		
80		
81		
82		
83		
84		
85		
86		
87		
88		
89		
90		
91		
92		
93		
94		
95		
96		
97		
98		
99		
100		

2nd FLOOR PLAN

SCALE: 1/8" = 1'-0"
DWG. BY: RAM/JDA
DWG. DATE: 5/4/2017
STATUS: OWNER REVIEW

A101



3rd FLOOR
DIMENSION PLAN
SCALE: 1/8" = 1'-0"



- GENERAL NOTES**
- ALL PLAN DIMENSIONS ARE NOMINAL U.O.N.
 - DIMENSIONS ARE TO FACE OF MASONRY OR FACE OF FRAMING, NOT TO FACE OF FURRING.
 - FIRST FLOOR REFERENCE ELEVATION 479.0' = 100'-0".
2ND/MEZZANINE FLOOR REFERENCE ELEVATION 489.0' = 101'-0".
MECH./ELEC. FLOOR REFERENCE ELEVATION 489.44' = 101'-8".
THIRD FLOOR REFERENCE ELEVATION 499.0' = 120'-0".
 - TYPICAL DIMENSION AT HINGE SIDE OF INTERIOR DOOR UNLESS OTHERWISE NOTED.
 - ALL PENETRATIONS THROUGH A RATED ASSEMBLY ARE TO BE PROPERLY FIRE STOPPED. SEE FIRE STOPPING SPECIFICATION.
 - A = ACTIVE DOOR LEAF.
 - IN ALL LAVATORIES, ROOMS WITHOUT DROP CEILINGS AND IN ALL ROOMS OR PARTITIONS WITH ACOUSTICAL INSULATION, WALLS ARE TO EXTEND TO UNDERSIDE OF STRUCTURE.
 - SEE ALSO 1/4" SCALE PLANS FOR ADDITIONAL WALL TYPE AND DIMENSION INFORMATION.
 - SEE ALSO ELEVATIONS FOR CONTROL JOINTS (C/J) IN C.M.U.
 - ALL SHOWER STALLS TO HAVE 5/8" FIBERGLASS FACED G.W.B. AT TILED WALLS.
 - PROVIDE METAL STUD BLOCKING BETWEEN METAL STUD FRAMING FOR WALL MOUNTED OVERHEAD CABINETS AND SHELVING. COORDINATE WITH INSTALLER. SEE A100'S.
 - SEE A100 FOR FFIE DESIGNATIONS, EQUIPMENT PLACEMENT, DIMENSIONS AND NOTES.
 - SEE 1001, 1011 & 1021 FOR DIMENSION PLANS.
 - SEE 10/A430 FOR TYPICAL INTERIOR WALL CONNECTION DETAILS.
 - SEE 4 & 5/A430 FOR TYPICAL FLOOR AND WALL PENETRATION CLOSURES.

3rd FLOOR ROOM LEGEND			
NO.	NAME	NO.	NAME
301	VESTIBULE	311	TABLE/CHAIR STORAGE
302	LOBBY	318	WOMEN'S LAVATORY
303	PUBLIC MEN'S LAVATORY	319	MEN'S LAVATORY
304	PUBLIC WOMEN'S LAVATORY	320	CORRIDOR
305	COAT ROOM	321	ELEVATOR
306	PANTRY	322	STAR
307	REFRIGERATED STORAGE	323	FIRE PREVENTION STORAGE
308	DISH STORAGE	324	JANITOR
309	KITCHEN	325	HOUSEKEEPING
310	DISH WASHING	326	ASSISTANT CHIEF'S
311	VESTIBULE	327	JUNIOR OFFICERS
312	SERVICE CENTER	328	CHEF'S OFFICE
313	STORAGE	329	CONFERENCE ROOM
314	AV	330	VESTIBULE
315	MEETING/TRAINING	331	PRESIDENT/VP OFFICE
316	MEMBERS ROOM	332	BUSINESS OFFICE
317	KITCHENETTE	333	WORK AREA
318	CLOSET	334	CLOSET

- DIMENSION PLAN KEY NOTES**
- ALIGN FACE OF FURRING WITH FACE OF METAL STUDS. ENSURE ALIGNMENT OF G.W.B.
 - COORDINATE DIMENSION WITH ELEVATOR MANUFACTURER.
 - CENTER WALL ON COLUMN LINE.
 - 4" HIGH CONCRETE HOUSEKEEPING PAD. COORDINATE SIZE OF PAD WITH EQUIPMENT TO BE PLACED ATOP PAD WITH MANUFACTURERS REQUIREMENTS. COORDINATE LOCATION WITH ALL TRADES. SEE DIMENSION PLANS.
 - EXTRACTOR SLAB. COORDINATE SIZE OF PAD WITH EQUIPMENT TO BE PLACED ATOP PAD WITH MANUFACTURERS REQUIREMENTS. COORDINATE LOCATION WITH ALL TRADES. SEE STRUCTURAL DRAWINGS FOR EXTRACTOR SLAB DETAILS.

MA
MITCHELL ASSOCIATES ARCHITECTS
29 THACHER PARK ROAD
VOORHEESVILLE, NY 12186
(518) 765-4571 FAX (518) 765-2950
WWW.MITCHELL-ARCHITECTS.COM

EMERGENCY SERVICE FACILITIES

CONSULTANTS:
INSITE ENGINEERING SURVEYING & LANDSCAPE ARCHITECTURE, P.C.
3 GARRETT PLACE
CARMEL, NY 10512
(518) 225-9400 FAX: (518) 225-9111

CRAIG A. MALONEY, P.E.
STRUCTURAL ENGINEERING CONSULTANT
3 BENEDICT COURT
BALSTON SPA, NY 12022
(518) 584-9944 FAX: (518) 584-9955

GERARD ASSOCIATES
CONSULTING ENGINEERS, P.C.
MECHANICAL, PLUMBING, AND ELECTRICAL
333 MAIN STREET
GOSHEN, NY 10924
(845) 291-1212 FAX: (845) 291-1939

PROGRESS PRINT
NOT FOR CONSTRUCTION
COPYRIGHT 2012
MITCHELL ASSOCIATES ARCHITECTS
UNAUTHORIZED ALTERATION OR ADDITION TO THIS DOCUMENT IS A VIOLATION OF LAW

NEW STATION FOR PUTNAM VALLEY FIRE STATION #1


OSCAWANA LAKE ROAD
PUTNAM VALLEY, NEW YORK

REVISION HISTORY		
DATE	DESCRIPTION	
▲		
▲		
▲		
▲		
▲		
▲		

3rd FLOOR DIMENSION PLAN

SCALE: 1/8" = 1'-0"
DWG. BY: JDA
DWG. DATE: 5/4/2011
STATUS: OWNER REVIEW

A102.1
PLOT TIME: 8:56 AM



1
A102 3rd FLOOR PLAN
SCALE: 1/8" = 1'-0"



GENERAL NOTES

- ALL PLAN DIMENSIONS ARE NOTIAL U.O.N.
- DIMENSIONS ARE TO FACE OF MASONRY OR FACE OF FRAMING, NOT TO FACE OF FINISH.
- FIRST FLOOR REFERENCE ELEVATION 414.0' = 100'-0".
2ND/MEZZANINE FLOOR REFERENCE ELEVATION 414.0' = 10'-0".
MECH/ELEC. FLOOR REFERENCE ELEVATION 414.0' = 10'-0".
THIRD FLOOR REFERENCE ELEVATION 414.0' = 120'-0".
- TYPICAL DIMENSION AT HINGE SIDE OF INTERIOR DOOR UNLESS OTHERWISE NOTED.
- ALL PENETRATIONS THROUGH A RATED ASSEMBLY ARE TO BE PROPERLY FIRE STOPPED. SEE FIRE STOPPING SPECIFICATION.
- A = ACTIVE DOOR LEAF.
- IN ALL LAVATORIES, ROOMS WITHOUT DROP CEILINGS AND IN ALL ROOMS OR PARTITIONS WITH ACOUSTICAL INSULATION, WALLS ARE TO EXTEND TO UNDERSIDE OF STRUCTURE.
- SEE ALSO 1/4" SCALE PLANS FOR ADDITIONAL WALL TYPE AND DIMENSION INFORMATION.
- SEE ALSO ELEVATIONS FOR CONTROL JOINTS (C/J) IN C.M.U.
- ALL SHOWER STALLS TO HAVE 5/8" FIBERGLASS FACED G.W.B. TILED WALLS.
- FRAMING METAL STUD BLOCKING BETWEEN METAL STUD FRAMING FOR WALL MOUNTED OVERHEAD CABINETS AND SHELVING. COORDINATE WITH INSTALLER. SEE A100'S.
- SEE A100 FOR FFIE DESIGNATIONS, EQUIPMENT PLACEMENT, DIMENSIONS AND NOTES.
- SEE 1001, 1011 & 1021 FOR DIMENSION PLANS.
- SEE 10/A430 FOR TYPICAL INTERIOR WALL CONNECTION DETAILS.
- SEE 4 & 5/A430 FOR TYPICAL FLOOR AND WALL PENETRATION CLOSURES.

3rd FLOOR ROOM LEGEND

NO.	NAME	NO.	NAME
301	VESTIBULE	311	TABLE/CHAR STORAGE
302	LOBBY	312	MEN'S LAVATORY
303	PUBLIC MEN'S LAVATORY	313	MEN'S LAVATORY
304	PUBLIC WOMEN'S LAVATORY	314	ELEVATOR
305	COAT ROOM	315	STAIR
306	REFRIGERATED STORAGE	316	FIRE PREVENTION STORAGE
307	DISH STORAGE	317	JANITOR
308	KITCHEN	318	HOUSEKEEPING
309	DISH WASHING	319	ASSISTANT CHIEF'S
310	VESTIBULE	320	JUNIOR OFFICERS
311	SERVICE CENTER	321	CHIEF'S OFFICE
312	STORAGE	322	CONFERENCE ROOM
313	AV	323	VESTIBULE
314	MEETING/TRAINING	324	PRESIDENT/VP OFFICE
315	MEMBERS ROOM	325	BUSINESS OFFICE
316	KITCHENETTE	326	WORK AREA
317	CLOSET	327	CLOSET

KEYNOTE LEGEND

- GUARDIAN FALL PROTECTION (CONCRETE SWIVEL ANCHOR 400242, GALVANIZED S.S.) LADDER TIE OFF. 12" ABOVE FINISH SLAB. FILL SOLID W/ 3000 PSI CONCRETE FIRST TWO BLOCKS. ALIGN W/ TRAINING WINDOW CENTER LINE. SEE 3/A102.
- ALIGN ENDS OF TRENCH DRAINS/CATCH BASINS.
- IN LINE CATCH BASIN.
- SOUND ATTENUATION BLANKETS IN WALL FRAMING FROM FLOOR TO UNDERSIDE OF STRUCTURE. G.W.B. TO EXTEND TO UNDERSIDE OF STRUCTURE. FILL VOIDS AT UNDERSIDE OF STRUCTURE PER DETAILS.
- 4" HIGH CONCRETE HOUSEKEEPING PAD. COORDINATE SIZE OF PAD WITH EQUIPMENT TO BE PLACED ATOP PAD WITH MANUFACTURERS REQUIREMENTS. COORDINATE LOCATION WITH ALL TRADES. SEE DIMENSION PLANS.
- EXTRACTOR SLAB. COORDINATE SIZE OF PAD WITH EQUIPMENT TO BE PLACED ATOP PAD WITH MANUFACTURERS REQUIREMENTS. COORDINATE LOCATION WITH ALL TRADES. SEE STRUCTURAL DRAWINGS FOR EXTRACTOR SLAB DETAILS.
- DOWNSPOUT TO STORY. SEE ROOF PLAN, ELEVATIONS & CIVIL DRAWINGS.
- DISPLAY CASE - SEE DETAIL 9/A130.
- WATER HOSE REEL HIGH INSTALLATION. SEE 10/A431.
- KEEP THIS WALL AREA CLEAR FROM FIXED OBJECTS THAT COULD INTERFERE WITH THE LADDER EVOLUTION TRAINING WINDOW. (SUCH AS SWITCHES, THERMOSTATS, LIGHT FIXTURES, ETC.) COORDINATE WITH ALL TRADES.
- LOUVER, SEE 1/A302 AND MECHANICAL DRAWINGS.
- AIR HOSE REEL. SEE A100'S, 3/A431 & PLUMBING DRAWINGS.
- TRUCK FILL - SEE PLUMBING DWG'S 1 & 3/A430.
- COMPRESSED AIR TAP. WALL MOUNTED. SEE PLUMBING DRAWINGS.
- FLOOR PENETRATION FOR DUCTWORK. COORDINATE SIZE OF OPENING WITH MECHANICAL DRAWINGS AND DETAIL 4/A430. SEE STRUCTURAL DRAWINGS FOR ADDITIONAL INFORMATION.
- FIRE DEPARTMENT CONNECTION. SEE DETAIL 10/A304 & FIRE PROTECTION DRAWINGS.
- THE WALL BETWEEN THE APPARATUS BAY AND THE BALANCE OF THE BUILDING IS TO BE AS AIRTIGHT AS POSSIBLE. ACCORDINGLY, ALL CONTRACTORS ARE TO MAKE ALL OF THEIR PENETRATIONS OF THIS WALL IN ACCORDANCE WITH MAXIMUM OPENING CRITERIA SET FORTH IN 01100 AND SEAL AS REQUIRED.
- O.H. DOOR SWITCH PANEL. SEE 1/A430. CENTER IN WALL. TOP OF PANEL AT 40" A.F.F.
- WALL MOUNTED SHOWER SYSTEM. SEE 11A/A111 AND PLUMBING DRAWINGS.
- STEEL BOLLARD, SEE STRUCTURAL DWGS.
- DRYING RACK. SEE DETAIL 4/A430.
- KEEP THIS CEILING AREA CLEAR FROM FIXED OBJECTS THAT COULD INTERFERE WITH THE CONFINED SPACE EXTRACTION TRAINING OPENING. (SUCH AS LIGHT FIXTURES, SPRINKLER LINES, DUCTWORK, ETC.) COORDINATE WITH ALL TRADES.
- ROUND OFF VERTICAL EDGE OF C.M.U. AT CORNER TO A MINIMUM OF 1/2" RADIUS.
- FIRE ALARM PANEL. SEE FIRE PROTECTION DRAWINGS.
- 8" x 8" OPENING IN C.M.U. WALL FOR SCBA COMPRESSOR LINES FROM ROOM 108 TO 109. COORDINATE LOCATION WITH OWNER AND SCBA EQUIPMENT VENDOR RECOMMENDATIONS. PROVIDE GASKETING IN OPENING. SEE 1/A430.
- COAT RACK AT ADA REQUIRED HEIGHT.
- FOAMED IN PLACE INSULATION (I.P.I.) SEE SPECIFICATIONS FOR R-VALUE. ALL EXPOSED FOAMED IN PLACE INSULATION ABOVE CEILING, IN TRUSSES/ATTIC SPACE ETC., REQUIRES INTUMESCENT COATING. (I.T.P.)
- ENTRY MAT - SEE SPECIFICATIONS AND DETAIL 8/A430.
- X-BRACING. SEE STRUCTURAL DRAWINGS.
- ELECTRICAL PANEL SEE ELECTRICAL DRAWINGS.
- MANIFOLD CABINET FOR RADIANT PIPES. SEE DETAIL 2/A430, MECHANICAL & STRUCTURAL DRAWINGS.
- CABINET UNIT HEATER SEE MECHANICAL DRAWINGS.

MA
MITCHELL ASSOCIATES ARCHITECTS
29 THACHER PARK ROAD
VOORHEESVILLE, NY 12184
(518) 745-4571 FAX (518) 745-2950
WWW.MITCHELL-ARCHITECTS.COM

EMERGENCY SERVICE
FACILITIES

CONSULTANTS:
INSITE ENGINEERING SURVEYING
LANDSCAPE ARCHITECTURE, P.C.
3 GARRETT PLACE
CARMEL, NY 10512
(518) 225-9400 FAX: (518) 225-9111

CRAIG A. MALONEY, P.E.
STRUCTURAL ENGINEERING CONSULTANT
3 BENEDICT COURT
BALSTON SPA, NY 12022
(518) 225-9444 FAX: (518) 225-9955

GERARD ASSOCIATES
CONSULTING ENGINEERS, P.C.
MECHANICAL, PLUMBING,
AND ELECTRICAL
333 MAIN STREET
GOSHEN, NY 10924
(845) 291-1212 FAX: (845) 291-1939

PROGRESS PRINT
NOT FOR CONSTRUCTION

COPYRIGHT 2012
MITCHELL ASSOCIATES ARCHITECTS
UNAUTHORIZED ALTERATION OR ADDITION
TO THIS DOCUMENT IS A VIOLATION OF LAW

NEW STATION
FOR
PUTNAM VALLEY FIRE STATION #1
OSCAWANA LAKE ROAD
PUTNAM VALLEY, NEW YORK

REVISION HISTORY	
DATE	DESCRIPTION

3rd FLOOR PLAN

SCALE: 1/8" = 1'-0"
DWG BY: RAM/JDA
DWG DATE: 5/4/2011
STATUS: OWNER REVIEW

A102
PLOT TIME: 8:55 AM